

STICK TO EASY SOLUTIONS

P-TOUCH Labeling Solutions

- Easy to use
- Label application keys
- Store common labels into memory
- Auto tape sensing
- Auto type sizing
- Graphical LCD screens
- Automatic serialization
- Designed by labeling experts



BETTER WITH BROTHER

Brother is here to make your job easier. We understand your time is important and that efficiency really matters. From clearly labeled application keys and intuitive menus to on-screen prompts, anyone can make professional labels in seconds.

Drive Productivity with Confidence

Staying agile, compliant and competitive among today's manufacturing demands purpose-built technology that helps you accurately identify and label goods. Affordably produce barcode labels on-demand to designate the right label, for the right product, at the right time.

P-touch EDGE Series

With P-touch EDGE industrial labeling tools from Brother, you can print the high-quality labels you need virtually anywhere you need them. These easy-to-use labelers empower mobile workers in a variety of industries to quickly create serialized and barcoded labels that leave a lasting professional impression.



MODELS FOR ALL LABELING NEEDS

Manufacturing

From work-in-process and asset tags to barcode and shipping labels – now you can track materials accurately, help reduce costly errors, and move goods quickly. Stay nimble, compliant, and competitive among today's manufacturing giants.

Electrical

To keep a competitive edge, you need to increase jobsite efficiency, ensure safety and compliance, and control costs. With easy, on-demand labeling solutions, you get what you need to save time, manage projects like a pro, and print accurate electrical labels that last.

Datacom

Print on demand and only use the number of labels you need for each job. A suite of included software & available apps provides a variety of options to further increase efficiency and print on demand. Brother Transfer Express with P-touch Editor can help cut down on labor hours by taking a database file and transferring it wirelessly into select WiFi connected devices. iPrint&Label helps standardize labels being used in the field providing a

Warehouse & MRO

Improve supply chain visibility, reinforce QA, reduce fulfillment errors, and streamline warehouse operations. Get accurate, long-lasting labels for your barcode, shipping, license plates, item marking, warnings and more.

Security/AV/SOLAR

With smart keys for common label types, built-in templates and symbols, and advanced connectivity options for creating labels directly from a database, it's never been easier to accurately label even the largest installations – and simplify future changes.

quick easy way to edit labels. Use the Cable Label Tool app to create preformatted label templates from an iOS® or Android™ device and send directly to the printer or LabelLink to pair with Fluke's LinkWare Live and bridge the gap between the office where the project originates and the jobsite where the project data is needed integrating testers and labeling tools.



BROTHER APPS

Brother Apps available on iOS® and Android™ make printing labels easy.



iPrint&Label

Create new, customizable templates and labels with wireless printing



Transfer Express

House and transfer database files on demand



Cable Label Tool

Customizable templates, label creation, and wireless printing



iLink&Label

Download information from Fluke Networks LinkWareLive and transfer to PT-E550W

P-TOUCH EDGE LABEL PRINTERS

PT-E550W



USB



Wi-Fi



Auto-Cut



Label Width



3 QUICK APPLICATION KEYS

Turn your smartphone or tablet into a wireless jobsite labeling partner with built-in Wi-Fi® on the PT-E550W and Brother mobile apps. Easily serialize a list of labels with the shortcut key and print with a series of automatic half-cuts for easy peeling and application.

Tape Sizes: up to 24mm HGe, TZe, and HSe tapes

Battery: Li-ion rechargeable battery (included) or 6 AA batteries

Best for: Low-, medium-, and high-volume project labeling

Serialization: Serialize, plus reduce waste and improve efficiency with automatic half-cuts

Label types: Industry-specific predesigned database capable templates, plus all PT-E300 label types

Compatibility: Connect to a PC to import a database or saved labels; access mobile apps via Wi-Fi to transfer data and access predesigned label templates.

2-YEAR
EXCHANGE WARRANTY

WATCH NOW



P-touch
Editor Software



PT-E500

The power and printing capabilities of the PT-E550W without half-cuts and built-in Wi-Fi.

WATCH NOW



P-touch
Editor Software

P-TOUCH EDGE LABEL PRINTERS

The PT-E300 adds more label applications keys and more professional features, and the large QWERTY keyboard makes data entry even easier. It includes over 300 built-in industrial symbols and nine barcode symbologies.

Tape Sizes: Up to 18mm HGe, TZe, and HSe tapes

Battery: Li-ion rechargeable battery (included) or 6 AA batteries

PT-E300

4 QUICK APPLICATION KEYS

18mm MAX
Label Width

Manual Cut

USB

Best for: Low- to medium-volume labeling, large rews

Serialization: Serialize with stop-to-cut functionality

Label types: Patch panel labels, barcodes, heat-shrink, electrical panels, terminal blocks, plus all PT-E110 label types

ALSO AVAILABLE WITHOUT A KIT.
PT-E300M



2-YEAR EXCHANGE WARRANTY

WATCH NOW



Simple menus and built-in label application keys help make the PT-E110 easy to create high-quality laminated labels. With high-resolution text and exceptional durability, your labels will leave a truly professional touch.

Tape Sizes: Up to 12mm HGe and TZe tapes

Battery: 6 AAA alkaline batteries or optional AC adaptor

PT-E110

4 QUICK APPLICATION KEYS

12mm MAX
Label Width

Manual Cut

Best for: Low-volume labeling, large crews

Serialization: Serialize a strip of labels for manual hand-cuts

Label types: Cable flag, cable wrap, faceplate labels

2-YEAR EXCHANGE WARRANTY

WATCH NOW



P-TOUCH DESKTOP PRINTERS

PT-E800W



Best for: Low-, medium-, and high-volume project/field application labeling

Print speed: Up to 2.3 IPS

Print resolution: Up to 360 DPI

Compatibility: Print from a PC with the included P-touch Editor software or from a mobile device with the Brother label design apps.

The PT-E800W is a wireless, transportable labeling system that prints high-quality labels. It features a detachable full-size keyboard, internal memory for label design templates, storage space for extra tapes, and a handle for easy carrying.

Tape Sizes: up to 36mm HGe, TZe, and HSe tapes

Battery: Li-ion rechargeable battery



2-YEAR
LIMITED WARRANTY

[WATCH NOW](#)



P-touch
Editor Software

PT-P750WVP



Best for: Low-, medium-, and high-volume project/field application labeling

Print speed: Up to 1.2 IPS

Print resolution: Up to 180 DPI

Compatibility: Print from a PC with the included P-touch Editor software or from a mobile device with the Brother label design apps with Wi-Fi or NFC.

The PT-P750WVP comes with wireless connectivity and software that makes large projects simple. Design and print labels using an Excel database from a Windows computer or print on demand using a smartphone or tablet.

Tape Sizes: Uses up to 24mm HGe, TZe, and HSe tapes

Battery: Li-ion rechargeable battery or AC adapter (both included), or 6 AA alkaline batteries



2-YEAR
LIMITED WARRANTY




P-touch
Editor Software

P-TOUCH DESKTOP PRINTERS

The compact PT-P900W printer produces wide, laminated labels up to 36mm and features an automatic cutter that can trim continuous tape to any length either one at a time or as a strip of pre-cut labels.

Tape Sizes: up to 36mm HGe, TZe, and HSe tapes
Power: AC adaptor or optional Li-ion rechargeable battery

PT-P900W



Best for: Low-, medium-, and high-volume project/field application labeling

Print speed: Up to 3.1 IPS

Print resolution: Up to 360 DPI

Compatibility: Print from a PC with the included P-touch Editor software or from a mobile device with the Brother label design apps.

2-YEAR
LIMITED WARRANTY

WATCH NOW



P-touch
Editor Software




PT-P950NW



All the great features of PT-P900W with added wired network functionality to print labels from several devices at once, including tablets and smartphones.



PT-P900



The power and printing capabilities of PT-P900W, but without built-in Wi-Fi.



ACCESSORIES

Customize your PT-P900 series printers to fit your needs. With add-on accessories, expand printer features for your specialized jobs today and tomorrow.



Li-ion Rechargeable Battery Pack (PA-BT-4000LI) + Battery Base (PABB002)¹:

A long-life Li-ion rechargeable battery increases the portability of your labeling process.

Touch Panel and Display Unit (PATDU003)²: Use the keypad and display to save commonly used templates, call up a searchable database, and print.

Bluetooth® Wireless Technology Module (PABI002): Expand your wireless device connectivity options to include Bluetooth with this module that attaches to the back of the printer.

¹Li-ion Rechargeable Battery Pack & Battery Base are both sold separately. Battery Pack requires pre-installed battery base.

²Compatible with PT-P950NW only.

BROTHER GENUINE MEDIA

P-touch EDGE Industrial Label Cartridges

Laminated Tape Structure




Image is for illustrative purpose only



Chemicals and Water

After bathing Brother laminated tapes in a variety of chemicals for two hours, they still adhered to their surfaces with little damage.



Laminated Tape Adhesive Strength

Brother laminated tapes will stick to almost any surface, including stainless steel, glass, PVC, acrylic, polypropylene, and polyester-coated wood. The tapes stand up to hot, cold, and humid conditions, and adhere better when heated.



Abrasion Resistance

After 50 round-trip passes with a one-kilogram-weighted sand eraser, Brother laminated tapes only came up slightly scratched.






Fade Resistance

After being placed in strenuous environments, including extreme heat and water submersion, only yellow tapes showed significant signs of fading while the others showed little sign of fading to the eye.

NEW P-TOUCH INDUSTRIAL LABEL CASSETTES

● Recommended ▲ Can be used ✘ Not Recommended

| | Flat Surface | Curved Surface | Textured Surface | Cable Wrap |
|---|--------------|----------------|------------------|------------|
| Improved TZe Flexible ID Laminated  <p>With a specially formulated adhesive to wrap securely around wires and cables with a diameter of 3mm or larger. Barcodes and other detailed information can be included on cable flags.</p> | ● | | ▲ | ● |
| TZe Self-Laminating  <p>Provides a protective layer over the printed area for cable marking. With our cost saving solution, text is laminated during printing which means 24mm tape is suitable for the larger diameter CAT6A cables.</p> | | | | ● |
| FLe Flag  <p>Die cut non-laminated flag label. New improved single label design makes it very simple to apply once printed. Wide printable area for barcodes and other information.</p> | | | | ● |

P-TOUCH INDUSTRIAL LABEL CASSETTES

Brother is the only manufacturer to offer a preloaded hassle-free laminated label in a drop-in cartridge design for a durable and professional quality label. The cassettes come in a variety of sizes, colors and adhesives to meet numerous applications and environments.



HGe Standard and Extra-Strength Adhesive and TZe Flexible ID, Extra-Adhesive and Tamper Evident Tapes have been tested and certified to become a UL recognized component under the UL-969 standard marking and labeling system.

Choose the Right Label Tape for Your Job



| | Cables / Wires | Faceplates | Patch Panels (Smooth Surface) | Patch Panels (Textured Surface) |
|-------------------------|----------------|------------|-------------------------------|---------------------------------|
| Flexible ID | | | | |
| Standard Adhesive | | | | |
| Extra-Strength Adhesive | | | | |
| Tamper Evident | | | | |
| Self-Laminating | | | | |
| Flt Flag | | | | |



| Standard Adhesive Tapes - Designed for plastics and textured surfaces and comes in a variety of colors | | | | | | |
|--|--------------|--------------|---------------|--------------|---------------|---------------|
| | 6mm (.23 in) | 9mm (.35 in) | 12mm (.47 in) | 18mm (.7 in) | 24mm (.94 in) | 36mm (1.4 in) |
| BLACK ON WHITE | TZe211 | TZe221 | TZe231 | TZe241 | TZe251 | TZe261 |
| BLACK ON CLEAR | TZe111 | TZe121 | TZe131 | TZe141 | TZe151 | TZe161 |
| BLACK ON MATTE SILVER | | TZeM921 | | | | |
| BLACK ON RED | | TZe421 | | TZe441 | TZe451 | |
| BLACK ON YELLOW | | | TZe631 | TZe641 | TZe651 | TZe661 |
| BLACK ON GREEN | | | | TZe741 | | |
| BLACK ON BLUE | | | | TZe541 | | |
| BLACK ON ORANGE | | | | TZe841 | TZe851 | TZe861 |
| WHITE ON BLACK | TZe315 | TZe325 | TZe335 | TZe345 | TZe355 | |
| WHITE ON CLEAR | | | TZe135 | TZe145 | | |
| WHITE ON BLUE | | TZe525 | | TZe545 | TZe555 | TZe565 |
| WHITE ON GREEN | | TZe725 | | | | TZe765 |
| WHITE ON RED | | | | | | TZe465 |
| RED ON WHITE | | | TZe232 | TZe242 | TZe252 | |
| BLUE ON WHITE | | | | TZe243 | | |
| GOLD ON BLACK | | | TZe334 | TZe344 | TZe354 | |



Laminated and durable like HGe tapes, the TZe tapes are designed for most indoor and outdoor applications and come in a variety of extra colors to choose from and sizes from 3.5 mm to 36mm.



| Flexible ID Tapes - Designed for wrapping around cables and adhesive-to-adhesive flag labels | | | | | | |
|--|--------------|--------------|---------------|--------------|---------------|---------------|
| Tze Flexible ID Tapes | 6mm (.23 in) | 9mm (.35 in) | 12mm (.47 in) | 18mm (.7 in) | 24mm (.94 in) | 36mm (1.4 in) |
| BLACK ON WHITE | | TZeFX221 | TZeFX231 | TZeFX241 | TZeFX251 | TZeFX261 |
| BLACK ON YELLOW | | | TZeFX631 | | TZeFX651 | |



Provides a protective layer over the printed area for cable marking. Our cost saving solution laminates text during printing, which means 24mm tape is suitable for larger diameter CAT6A cables.



| TZe SELF-LAMINATING - 8 M | | | | | | |
|---------------------------|--------------|--------------|---------------|--------------|---------------|---------------|
| | 6mm (.23 in) | 9mm (.35 in) | 12mm (.47 in) | 18mm (.7 in) | 24mm (.94 in) | 36mm (1.4 in) |
| BLACK ON WHITE | | | | | TZeSL251 | TZeSL261 |
| BLACK ON YELLOW | | | | | TZeSL651 | TZeSL661 |

P-TOUCH INDUSTRIAL LABEL CASSETTES

Die cut non-laminated flag label. New improved single label structure makes it simple to apply once printed. Suitable for Fibre Optic cables.



FLe FLAG (DIE-CUT) - 72 LABELS

| | 6mm (.23 in) | 9mm (.35 in) | 12mm (.47 in) | 18mm (.7 in) | 24mm (.94 in) | 36mm (1.4 in) |
|-----------------|--------------|--------------|---------------|--------------|---------------|---------------|
| BLACK ON WHITE | | | | | FLe2511 | |
| BLACK ON YELLOW | | | | | FLe6511 | |
| BLACK ON GREEN | | | | | FLe7511 | |



Extra-Strength Adhesive Tapes - Designed for plastics and textured surfaces

| | 6mm (.23 in) | 9mm (.35 in) | 12mm (.47 in) | 18mm (.7 in) | 24mm (.94 in) | 36mm (1.4 in) |
|-----------------------|--------------|--------------|---------------|--------------|---------------|---------------|
| BLACK ON WHITE | TZeS211 | TZeS221 | TZeS231 | TZeS241 | TZeS251 | TZeS261 |
| BLACK ON YELLOW | | TZeS621 | TZeS631 | TZeS641 | TZeS651 | TZeS661 |
| BLACK ON CLEAR | | TZeS121 | TZeS131 | TZeS141 | TZeS151 | |
| WHITE ON CLEAR | | | TZeS135 | | | |
| BLACK ON MATTE SILVER | | | | TZeS941 | TZeS951 | TZeS961 |



HSe tube* is a printable heat shrink tubing designed to be used with the PT-E300, PT-E500, PT-E550W, PT-E550CM, and PT-P750wp.

| | 6mm (.23 in) | 9mm (.35 in) | 12mm (.47 in) | 18mm (.7 in) | 24mm (.94 in) | 36mm (1.4 in) |
|--------------------------|------------------------|------------------------|-----------------------|-------------------------|-------------------------|---------------|
| WIDTH | 5.8mm (.23 in) | 8.8mm (.34in) | 11.7mm (.48in) | 17.7mm (.69in) | 23.6mm (.92in) | |
| RECOMMEND OUTER DIAMETER | 1.7-3.2mm (.07-.13 in) | 2.6-5.1mm (.10-.20 in) | 3.6-7.0mm (.14-.28in) | 5.4-10.6mm (.21-.42 in) | 7.3-14.3mm (.29-.56 in) | |
| BLACK ON WHITE | HSe211 | HSe221 | HSe231 | HSe241 | HSe251 | |

*Warning, product contains a chemical known to the State of California to cause cancer.

High Grade Tapes available in 5-Packs



HGe tape is designed for commercial and industrial applications, to print laminated labels much faster than any current P-touch label printer and with a higher resolution, up to 360x720 dpi.



Extra-Strength Adhesive - Designed to use on plastics, textured and hard to stick surfaces

| | 6mm (.23 in) | 9mm (.35 in) | 12mm (.47 in) | 18mm (.7 in) | 24mm (.94 in) | 36mm (1.4 in) |
|-----------------------|--------------|--------------|---------------|--------------|---------------|---------------|
| BLACK ON WHITE | HGeS211 5pk | HGeS221 5pk | HGeS231 5pk | HGeS241 5pk | HGeS251 5pk | HGeS261 5pk |
| BLACK ON YELLOW | | HGeS621 5pk | HGeS631 5pk | HGeS641 5pk | HGeS651 5pk | HGeS661 5pk |
| BLACK ON MATTE SILVER | | | | HGeS941 5pk | HGeS951 5pk | HGeS961 5pk |
| BLACK ON CLEAR | | HGeS121 5pk | HGeS131 5pk | HGeS141 5pk | HGeS151 5pk | |




Standard Adhesive - Designed to use for most general purposes

| | 6mm (.23 in) | 9mm (.35 in) | 12mm (.47 in) | 18mm (.7 in) | 24mm (.94 in) | 36mm (1.4 in) |
|-----------------|--------------|--------------|---------------|--------------|---------------|---------------|
| BLACK ON WHITE | | HGe221 5pk | HGe231 5pk | HGe241 5pk | HGe251 5pk | |
| BLACK ON YELLOW | | | | HGe641 5pk | HGe651 5pk | |



Tamper Evident Tapes - Designed to reveal a security pattern when the label is removed or disturbed

| | 18mm (.7 in) |
|----------------|--------------|
| BLACK ON WHITE | TZeSE4 |



Super Narrow, Non Laminated Tape - Designed to label narrow spaces

| | 8M Long (26.2 inch) |
|----------------|---------------------|
| BLACK ON WHITE | TZeN201 |



4" DESKTOP DIRECT AND THERMAL TRANSFER PRINTERS

Introducing the next era of four-inch desktop thermal printers from Brother – in both direct thermal and thermal transfer models. These precision-built barcode label printers deliver the right levels of performance, quality, and integration at an exceptional value. And it's all backed by Brother's three decades of success with thermal print technology.

Manufacturing / Warehouse & MRO

Track materials accurately, help reduce costly errors, and move goods quickly. Get accurate, long-lasting labels for your barcode, shipping, license plates, item marking, warnings and more. Stay nimble, compliant, and competitive.



DIRECT THERMAL DESKTOP PRINTERS

TD-4420DN



Best for: Low-, medium-, and high-volume project/field application labeling

Print speed: Up to 8 IPS

Print resolution: Up to 203 DPI

Compatibility: Print from a PC with the included P-touch Editor software or from a mobile device with the Brother label design apps.

Key Features

- **Performance.** Up to 8ips fast print speed matched with compatibility and connectivity options
- **Quality.** Clear printing at 203dpi
- **Effortless Integration.** Easily integrate into existing and future workflows in warehouse or manufacturing
- **Affordable.** Powerful desktop printing doesn't always come at a price
- **Connected.** USB 2.0 and Ethernet LAN
- **Options.** Labeler peeler and automatic cutter options available
- **Reliable.** Backed with an industry leading 2 year Premier Limited Warranty

Introducing the next era of four-inch desktop thermal printers from Brother. These precision-built barcode label printers, deliver the right level of performance, quality, and integration at an exceptional value. From inventory and shipping to barcode and shelf labeling, you can easily and affordably produce the labels you need.

Media: 4" drop-in rolls
Power: External AC adapter



2-YEAR
PREMIER LIMITED WARRANTY

WATCH NOW

TD-4550DNWB



Best for: Low-, medium-, and high-volume project/field application labeling

Print speed: Up to 6 IPS

Print resolution: Up to 300 DPI

Compatibility: Print from a PC with the included P-touch Editor software or from a mobile device with the Brother label design apps.



THERMAL TRANSFER DESKTOP PRINTERS

Introducing the new line up of 4 inch Thermal Transfer desktop printers from Brother. These precision-built barcode label printers deliver the right level of performance, quality and integration at an exceptional value.

Media: convenient drop-in rolls
Power: External AC adapter

2-YEAR
PREMIER LIMITED WARRANTY

WATCH NOW



TD-4420TN
TD-4520TN
TD-4650TNWB
TD-4750TNWB



USB



Wi-Fi



Auto-Cut Optional

Best for: Low-, medium-, and high-volume project/field application labeling

Print speed: Up to 8 IPS

Print resolution: 203 and 300 DPI

Compatibility: Print from a PC with the included Bartender Editor software or from a mobile device with the Brother label design apps.

Key Features

- **Compatibility.** Integrates with leading WMS, manufacturing and other software solutions.
- **Quality.** 203 dpi prints clean, crisp text and accurate scanning barcodes, fonts, logos and other data.
- **Performance.** Up to 6ips fast print speed matched with compatibility and connectivity options.
- **Reliable.** Backed with an industry leading 2-year Premier Limited Warranty.
- **Networked.** Connectivity – standard with Ethernet LAN, USB, host USB and RS232C serial interfaces helps print from virtually any Windows, Mac and Linux computer, including other computing devices like a PLC commonly used in manufacturing.
- **Affordable.** Because powerful desktop printing doesn't always come at a price.

Thermal transfer printing is ideally suited for harsh conditions and long-term use in warehouses, manufacturing, supply chain, parcel and post.








Optional extended roll holder available

THERMAL TRANSFER DESKTOP PRINTERS

TD 4 inch Direct Thermal and Thermal Transfer Printers

WHICH MODEL IS RIGHT FOR YOU?



| |  WiFi |  USB |  Bluetooth® |  Ethernet |  Serial |  DPI |  Speed | Direct Thermal | Thermal Transfer |  Cutter/Peeler |
|----------------------|--|---|--|--|--|---|---|----------------|------------------|---|
| TD-4410D | | ● | | | ● | 203 | 8ips max | ● | | Optional |
| TD-4420DN | | ● | | ● | ● | 203 | 8ips max | ● | | Optional |
| TD-4550DNWB* | ● | ● | ● | ● | ● | 300 | 6ips max | ● | | Optional |
| TD-4420TN | | ● | | ● | ● | 203 | 6ips max | ● | ● | Optional |
| TD-4520TN | | ● | | ● | ● | 300 | 5ips max | ● | ● | Optional |
| TD-4650TNWB** | ● | ● | ● | ● | ● | 203 | 8ips max | ● | ● | Optional |
| TD-4750TNWB** | ● | ● | ● | ● | ● | 300 | 6ips max | ● | ● | Optional |

* Compatible with AirPrint and MFI ** iOS compatible

4" Desktop Thermal Printer Supplies

Custom Solutions for Your Media Supplies

Brother Mobile Solutions offers a wide variety of label media for TD 4 inch Desktop Direct Thermal or Thermal Transfer printers. Add a full-color logo, watermark, terms and conditions, and text to the front or back of your receipt paper. Create custom labels, tags, or receipt paper using a wide variety of materials and ink colors. All media for these printers is on convenient drop-in rolls to make changing supplies easy and fast.



 WATCH NOW

Please email david.macedon@brother.com for information on additional supply options, or to receive a quote for custom media.

brother
at your side

BROTHER MOBILE SOLUTIONS, INC
For more information, call 1-800-543-6144,
or visit www.brothermobilesolutions.com