

QUICKPORT™ COPPER JACKS

CAT 6A UTP		1-Pack	GreenPack™ 12-pack		
	Atlas-X1™ Component-Rated	6AUJK-x*6	6AUJK-C^6		
	eXtreme™ Channel-Rated	6110G-R*6	6110G-C^6		
CAT 6 UTP		1-Pack	GreenPack 12-pack	QuickPack™ (25 pack)	QuickPack (150 pack)
	Atlas-X1 Component-Rated	61UJK-x*6	61UJK-C^6	—	—
	eXtreme Component-Rated	61110-R*6	—	61110-B*6	61110-J*6
SHIELDED		1-Pack	GreenPack 12-pack		
	Atlas-X1 Cat 8	81SJK-R†8	—		
	Atlas-X1 Cat 6A	6ASJK-x*6	6ASJK-C^6		
	Atlas-X1 Cat 6	61SJK-x*6	61SJK-C^6		
	Atlas-X1 Cat 5e	5ESJK-x*5	—		


CAT 5E UTP		1-Pack	QuickPack (25 pack)	QuickPack (150 pack)
	Atlas-X1 Component-Rated	5EUJK-x*5	—	—
	eXtreme Component-Rated	5G110-R*5	5G110-B*5	5G110-J*5
	GigaMax Channel-Rated	5G108-R*5	5G108-B*5	5G108-J*5
CAT 5 UTP		1-Pack		
	Cat 5	41108-R*5		

x = Standard (R), w/ Shutter (S) ~ = Color: White (W), Gray (G), Black (E)
 ^ = Color: White (W), Blue (L), Black (E)
 † = Color: Gray (G), Black (E)
 * = Color: Choose from any of the jack colors below

CAT 6A UNIVERSAL TOOL-FREE PLUG

	Cat 6A Universal Tool-Free Plug	6APLG-S6A
--	---------------------------------	-----------

UTP AND SHIELDED PATCH CORDS



CAT 6A UTP		
	Atlas-X1 Component-Rated SlimLine Patch Cord	6AS10-xx°
	eXtreme Channel-Rated Standard Patch Cord	6210G-◇◇*
CAT 6 UTP		
	Atlas-X1 Component-Rated SlimLine Patch Cord	6D560-††°
	eXtreme Component-Rated SlimLine Patch Cord	6D460-~~°
	eXtreme Channel-Rated Standard Patch Cord	62460-~~°
EXTREME CAT 6 HIGH-FLEX		
	eXtreme Cat 6 High-Flex Patch Cord	6H460-##°
CAT 5E UTP		
	Atlas-X1 Component-Rated SlimLine Patch Cord	5D560-††^
	eXtreme Component-Rated SlimLine Patch Cord	5D460-◇◇^
	GigaMax Channel-Rated Standard Patch Cord	5G460-◇◇^
SHIELDED		
	Atlas-X1 Cat 6A Component-Rated SlimLine Patch Cord	6AS10-xx°
	eXtreme Cat 6A Channel-Rated Standard Patch Cord	6210G-◇◇*
	Atlas-X1 Cat 6 Component-Rated Shielded Patch Cord (Gray (S) only)	6S560-xxS

xx = Length: (03), (05), (07), (10), (15), or (20) feet
 ~~ = Length: (01), (03), (05), (07), (10), (15), or (20) feet
 ◇◇ = Length: (03), (05), (07), (10)
 ## = Length: (01-20) feet in 1' increments
 †† = Length: (01-200) feet in 1' increments
 Additional lengths available as Make-to-Order

° = Color: White (W), Yellow (Y), Red (R), Blue (L), Green (G), Gray (S), Black (E)
 ^ = Color: White (W), Yellow (Y), Blue (L), Green (G), Gray (S)
 * = Color: White (W), Red (R), Blue (L), Gray (S)



PALM TERMINATION TOOL

	Palm Termination Tool (for eXtreme and GigaMax Jacks)	47615-PTT
--	---	-----------


FLAT UTP PATCH PANELS



CAT 6A		
	1RU 24-Port 110-Style Patch Panel	6A586-U24
	2RU 48-Port 110-Style Patch Panel	6A586-U48
	1RU 24-Port QuickPort Patch Panel (Black jacks included, 6110G-RE6)	6910G-U24
	2RU 48-Port QuickPort Patch Panel (Black jacks included, 6110G-RE6)	6910G-U48
CAT 6		
	1RU 12-Port 110-Style Patch Panel	69586-U12
	1RU 24-Port 110-Style Patch Panel	69586-U24
	2RU 48-Port 110-Style Patch Panel	69586-U48
	4RU 96-Port 110-Style Patch Panel	69586-U96
	1RU 24-Port QuickPort Patch Panel (Black jacks included, 61110-RE6)	69270-U24
	2RU 48-Port QuickPort Patch Panel (Black jacks included, 61110-RE6)	69270-U48
CAT 5E		
	1RU 12-Port 110-Style Patch Panel	5G596-U12
	1RU 24-Port 110-Style Patch Panel	5G596-U24
	2RU 48-Port 110-Style Patch Panel	5G596-U48
	4RU 96-Port 110-Style Patch Panel	5G596-U96
	1RU 24-Port QuickPort Patch Panel (Black jacks included, 5G110-RE5)	5G270-U24
	2RU 48-Port QuickPort Patch Panel (Black jacks included, 5G110-RE5)	5G270-U48
EMPTY QUICKPORT		
	1RU 24-Port	49255-H24
	1RU 48-Port (die cast)	49255-D48
	1RU 48-Port	49255-Q48
	2RU 48-Port	49255-H48



ANGLED UTP PATCH PANELS



CAT 6A

1RU 24-Port Cat 6A Angled 110-Style Patch Panel	6A587-U24
1RU 48-Port Cat 6A Angled 110-Style Patch Panel	6A587-U48

CAT 6

1RU 24-Port Cat 6 Angled 110-Style Patch Panel	69587-U24
2RU 48-Port Cat 6 Angled 110-Style Patch Panel	69587-U48

CAT 5E

1RU 24-Port Cat 5e Angled 110-Style Patch Panel	5G597-U24
2RU 48-Port Cat 5e Angled 110-Style Patch Panel	5G597-U48

EMPTY

1RU 24-Port Angled QuickPort Patch Panel, empty	49256-H24
1RU 48-Port Angled QuickPort Patch Panel, empty	49256-D48
2RU 48-Port Angled QuickPort Patch Panel, empty	49256-H48
2RU 72-Port Angled QuickPort Patch Panel, empty	49256-D72

ATLAS-X1™ SHIELDED QUICKPORT PATCH PANELS, EMPTY




EMPTY

1RU 24-Port Flat Shielded QuickPort Panel, empty	4S255-S24
1RU 48-Port Flat Shielded QuickPort Panel, empty	4S255-D48
2RU 48-Port Flat Shielded QuickPort Panel, empty	4S255-S48
1RU 24-Port Angled Shielded QuickPort Panel, empty	4S256-S24
1RU 48-Port Angled Shielded QuickPort Panel, empty	4S256-D48
2RU 48-Port Angled Shielded QuickPort Panel, empty	4S256-S48

See page 1 for shielded QuickPort Jacks

PATCH BLOCKS



CAT 6

12-Port Cat 6 110-Style Patch Block, with 89D	69586-U89
---	-----------


CAT 5E

12-Port Cat 5e 110-Style Patch Block, with 89D	5G596-U89
--	-----------

EMPTY

12-Port QuickPort Patch Block, empty, without 89D	49255-Q89
QuickPort Patch Block Mounting Bracket, 89D	40089-00D

E2XHD SNAP-IN CASSETTE PATCHING SYSTEM








EMPTY PANELS AND CASSETTE

1RU 48-Port e2XHD Angled High-Density Panel (supports UTP, shielded, and fiber media)	E2X1A-S48
1RU 48-Port e2XHD Flat High-Density Panel (supports UTP, shielded, and fiber media)	E2X1F-S48
6-port e2XHD Cassette, empty	E2XHD-BRK

ACCESSORIES

e2XHD Angled Panel Cover	E2XHD-COV
e2XHD Cassette Blank	E2XHD-BLK
QuickPort Insert Removal Tool	E2XHD-JRT
e2XHD Label Kit (4 pack) (Label kit occupies one row of panel)	E2XHD-LBL

110-STYLE WIRING BLOCK KITS

 Cat 6A 110-Style Wiring Block, Wall Mount w/legs and C-4 clips*, 64-Pair	41D6A-1F4
 Cat 6 110-Style Wiring Block, Wall Mount w/ Legs 288-Pair, 72 C-4 Clips	41AB6-3F4
 Cat 6 110-Style Wiring Block, Wall Mount w/ Legs, 96-Pair, 24 C-4 Clips	41AB6-1F4
 Cat 5e 110-Style Wiring Block, Wall Mount w/ Legs, and Clips Kit	41AB2-†F°
 Cat 5e 110-Style Wiring Block, Rack-Mount Kit w/ Clips	41DBR-†F°


† = Number of Pairs: (1) 100, (3) 300
 ‡ = Number of Pairs: (1) 100, (2) 200, (3) 300
 ° = Clip Type: (4) C-4, (5) C-5

VERTIGO™ ZERO-U PATCH PANEL



12-Port Vertigo Zero-U QuickPort Patch Panel, empty	49280-QP0
---	-----------

IT/AV EXTENDER TRANSMITTERS AND RECEIVERS



HDBaseT™ Extender, Transmitter and Receiver, 100 m	41910-HTE
HDBaseT Extender, Transmitter and Receiver, 70 m	41910-HT0
HDBaseT Extender, Receiver only, 70 m pairs with 41920-HRC	41910-HTR
HDBaseT Extender IR Emitter and Receiver Kit	41910-HIR
HDMI® Extender Transmitter and Receiver, 40 m	41910-H00
VGA Extender with Audio 100 m Single Cat Cable Transmitter and Receiver	41910-V01
Autoswitching HDBaseT Extender Wallplate	41920-HRC
8-Button Control Panel	41920-CP8
USB 1.1 Extender 50 m Single Cat Cable Transmitter and Receiver	41910-U11
USB 2.0 Extender 100 m Single Cat Cable 2-Port Transmitter and Receiver	41910-U2B

IT/AV HDMI



1X4 SPLITTER

4K@60Hz, EDID, ARC, Audio Extraction, HDCP 2.2 41920-SP4



4X1 SWITCHER

4K@60Hz, EDID, ARC, Audio Extraction, HDCP 2.2, IR, RS-232 41920-SW4

IT/AV HDMI CABLES



CL2 in-wall rated, High-Speed HDMI Cable with Ethernet 41900-xxE

HDMI Cable Lock Kit 41900-LKT

xx = Length in feet: (03), (06), (10), (15)

IT/AV QUICKPORT™ COUPLERS AND JACKS

	3.5mm Stereo Jack, screw terminal	40839-S~S
	F-Connector Coupler, nickel plated, 3GHz	41084-F*F
	F-Connector Coupler, gold plated, 3GHz	40831-F°G
	RCA Jack, gold plated w/ red barrel, 110 termination	40735-RR†
	RCA Coupler, gold plated w/ black stripe	40830-B*E
	RCA Coupler, gold plated w/ red stripe	40830-B*R
	RCA Coupler, gold plated w/ yellow stripe	40830-B*Y
	RCA Coupler, gold plated w/ green stripe	40830-B~V
	RCA Coupler, gold plated w/ blue stripe	40830-B~L
	Blank Insert (pack of 10)	41084-0B*
	HDMI Coupler	40834-00‡
	USB A/A Coupler	40835-00^

* = Color: Ivory (I), White (W), Lt Almond (T), Grey (G), Black (E), Brown (B)

† = Color: Ivory (I), White (W), Lt Almond (T), Gray (G), Black (E)

x = Inner Barrel Color: Orange (O), Red (R), White (W), Yellow (Y)

Ivory, White connectors also available with Green (V), or Blue (L) Inner Barrel


° = Color: Ivory (I), White (W), Light Almond (T)

~ = Color: Ivory (I), White (W)

‡ = Color: Ivory (I), White (W), Lt Almond (T), Black (E)

^ = Color: Ivory (I), White (W), Gray (G)

IT/AV AUDIO EQUIPMENT



Stereo Mixing Audio Amplifier 4/8 Ohm	41920-A01
Infrared Remote Control Kit (not compatible with HDBaseT IR Emitter and Receiver Kits)	41920-AIR
70V Mixing Audio Amplifier	41920-A70
HDMI Audio Extractor, 4K@60Hz HDCP 2.2	41920-HAE

IT/AV MULTIMEDIA OUTLET SYSTEM (MOS)



FACEPLATE

Single-Gang 41290-SM‡

Dual-Gang 41290-DM‡

Three-Gang, Stainless Steel 41290-TMS



DECORA™

Decora MOS Insert 41649-00*



SURFACE-MOUNT BOX

Surface-Mount Housing, holds one 1-unit high module, plenum rated 4M089-1*M

Surface-Mount Box, 3 unit with Fiber Storage (Not compatible with 41295-Vxx, 41292-Dxx, 41295-HDx or 41292-Axx) 41296-MM*

1-UNIT HIGH INSERTS

HDMI Module, coupler 41290-HD*

VGA/HD15 Module, coupler 41293-HD*

VGA/HD15 Module, screw terminal 41295-HD°

2-Port QuickPort Module, (1 unit high) 41291-2Q*

1-Port QuickPort Module, (1 unit high) 41291-1M*

Blank Module (Also available in 0.5, 1.5, and 2 units high) 41291-1B*

3-Port RCA Module (red, black, yellow), coupler 41292-3R*

3-Port RCA Module (red, green, blue), coupler 41292-3D*

RCA Component Video Module, 110-style termination, (red, green, blue) 41292-DE~

RCA Composite Video Module, 110-style termination, (red, white, yellow) 41292-AE~

VGA PC Module, 110-style termination (Requires both PC and Monitor Modules used in pairs) 41295-VP•

VGA Monitor Module, 110-Style termination (Requires both PC and Monitor Modules used in pairs) 41295-VM•

1.5-UNIT HIGH INSERTS

2-Port QuickPort Adapter, 45° exit 41294-2Q*

Passthrough Module (1.5-units high) 41297-2P*

speaKON® Connector, 4-pole, screw terminal (Must be installed in 1.5-unit high MOS Passthrough Module, 41297-2P*) 41297-SP4

XLR Connector, 3-pole, screw terminal (Must be installed in 1.5-unit high MOS Passthrough Module, 41297-2P*) 41297-XL3

‡ = Color: Ivory (I), White (W), Gray (G), Black (E), Light Almond (T), Stainless (S)

* = Color: Ivory (I), White (W), Gray (G), Black (E), Light Almond (T)


° = Color: Ivory (I), White (W)

~ = Color: Ivory (I), White (W), Light Almond (T)

• = Color: Ivory (I), White (W), Gray (G), Light Almond (T)



See page 8 for fiber adapters

QUICKPORT™ WALLPLATES | ACCEPTS QUICKPORT JACKS




SINGLE-GANG

Single-Gang	41080-^+P
Single-Gang Midway	41091-^#N
Single-Gang Stainless Steel	43080-1S^
Single-Gang w/ Designation Windows	42080-^+S
Single-Gang Stainless Steel w/ ID Windows	43080-1L^
Single-Gang Angled Stainless Steel w/ ID Windows	43081-1Lx
2-Port Single-Gang QuickPlate™ Tempo w/ ID Windows	42090-2+S
4-Port Single-Gang QuickPlate Tempo w/ ID Windows	42090-4+S



DUAL-GANG

Dual-Gang Stainless Steel	43080-2S+
Dual-Gang w/ Designation Windows	42080-†*P
Dual-Gang Stainless-Steel w/ ID Windows	43080-2Lx
Dual-Gang Angled Stainless-Steel w/ ID Windows	43081-2Lx




^ = Port Configuration: (1), (2), (3), (4), (6)
 + = Color: Ivory (I), White (W), Gray (G), Black (E), Brown (B), Light Almond (T)
 # = Color: Ivory (I), White (W), Brown (B), Light Almond (T)
 † = Port Configuration: (2), (4)
 ‡ = Port Configuration: (2), (4), (6), (8), (12)
 † = Port Configuration: (1), (2), (3), (4), (6), (8), (12)
 * = Color: Ivory (I), White (W), Gray (G), Black (E), Light Almond (T)
 x = Port Configuration: (4), (8)




HORIZONTAL

2-Port Horizontal Wallplate	41070-2WS
3-Port Horizontal Wallplate	42070-3WS




QUICKPORT SURFACE-MOUNT BOXES



QuickPort Surface-Mount Boxes	41089-†^P
QuickPort Surface-Mount Box Extended Depth (For shielded jacks and large bend-radius cables)	4S089-x^P

* = 1 and 2-Port 41089, 2 and 4-Port 4S089 are Plenum rated
 ^ = Color: White (W), Ivory (I), Gray (G), Black (E), 2-port also available in Light Almond (T)
 x = Port Configuration: (2), (4)
 ° = Color: White (W), Ivory (I)
 † = Port Configuration: (1), (2), (4), (6), 12-Port (41089-12*),
 2-port includes blank for 1 port


SURFACE-MOUNT BACKBOXES




Single-Gang, (Deep - 1.89")	42777-1*A
Single-Gang, (Shallow - 1.45")	42777-1*B
Dual-Gang, (Deep - 1.89")	42777-2*A
Dual-Gang, (Shallow - 1.45")	42777-2*B

* = Color: Ivory (I), White (W), Grey (G), and Black (E)

TELEPHONE AND VIDEO WALL JACKS




STANDARD



DECORA™



DECORA
INSERT




MIDWAY

6P4C	40249-00†	40149-00†	40649-00*	40539-PM°
6P4C + F-Connector	40259-00†	40159-00†	40659-00^	40539-CM°
Dual 6P4C	40244-00†	40144-00†	40644-00†	
F-Connector	80781-00†	40981-0†D	40681-00x	40539-0M°
Dual F-Connectors	80782-00†	40982-0†D	40682-00x	

* = Color: White (W), Ivory (I), Gray (G), Black (E), Brown (B), Light Almond (T)
 † = Color: White (W), Ivory (I), Light Almond (T)
 ° = Color: White (W), Ivory (I), Brown (B), Light Almond (T)
 x = Color: White (W), Ivory (I), Gray (G), Brown (B), Light Almond (T)
 ^ = Color: White (W), Ivory (I), Black (E), Light Almond (T)
 ~ = Color: White (W), Ivory (I)

DECORA WALLPLATES AND MULTIMEDIA INSERTS




Single-Gang	80401-0N*
Dual-Gang	80409-0N*
Decora Multimedia Inserts (Accepts QuickPort Jacks)	4164†-00*
Brush Insert, Cable Passthrough	41075-DB°

* = Color: Ivory (I), White (W), Gray (G), Black (E), Brown (B), Light Almond (T)
 † = Port Configuration: (1), (2), (3), (4), (6)
 ° = Brush Color: White (W), Black (E). Only brush is visible when installed.

VERSI-DUCT™ CABLE MANAGEMENT

5" Channel		8" Channel	
Vertical, front only, 40" length	4940L-VFO	Horizontal, front and rear, 1RU	491RU-HFR
Vertical, front and rear, 40" length	4940L-VFR	Horizontal Designer Cover, 1RU, Snap-On, gray	49265-DC1
Vertical, front only, 80" length	4980L-VFO	Horizontal Designer Cover, 2RU, Snap-On, gray	49265-DC2
[A] Vertical, front and rear, 80" length	4980L-VFR	[D] Vertical, front only w/ standard hinged black cover, 80" length	8980L-VFO
Mounting Brackets, 5" Channel	49265-BKT	Vertical, front and rear w/ standard hinged black cover, 80" length	8980L-VFR
Vertical Designer Cover, 5" Channel, gray	59265-SDC	Vertical 40" Designer Cover, 8", grey (set of 2)	89265-8DC
[B] Horizontal, front only, 2RU	492RU-HFO	Vertical Center Mounting Bracket, 8" Channel	89265-BKT
Horizontal, front and rear, 2RU	492RU-HFR	[E] Vertical Cable Retainer, 8"Channel (bag of 6)	89265-WR1
[C] Horizontal, front only, 1RU	491RU-HFO	[F] Vertical Slack Loop Organizer, 8" Channel (2 per package)	89265-SL1

CABLE MANAGEMENT



HORIZONTAL CABLE MANAGERS

[A] Flat Horizontal Cable Manager, 2RU, 4" metal rings	49253-BCM
Flat Horizontal Cable Manager, 1RU, 4" metal rings	49253-LPM
Flat Horizontal Cable Manager Cover, 1RU	49253-1CV
Flat Horizontal Cable Manager Cover, 2RU	49253-2CV
Angled Horizontal Cable Manager, 1RU, 2" metal rings	49254-LPM
Angled Horizontal Cable Manager, 2RU, 2" metal rings	49254-BCM
Recessed-Flat Horizontal Cable Manager, 1RU, 3" metal rings	49253-RCM
[B] Tie Wrap Bar, 1.0" high, 1.5" deep, 19" W	49258-TWB

BLANK PANEL INSERTS & TRANSITIONAL COVERS

Flat Blank Panel, 1RU	49254-BP1
[C] Flat Blank Panel, 2RU	49254-BP2
[D] Angled Blank Panel, 1RU	49254-BA1
Angled Blank Panel, 2RU	49254-BA2
Angled Transitional Cover, 1RU	49254-BC1
Recessed Angled Transitional Cover, 1RU	4W254-BC1

REAR CABLE MANAGEMENT BARS & CLIP

Flat Rear Cable Management Bar	49005-CMB
Angled Rear Cable Management Bar	49006-AMB
Recessed-Angled Rear Cable Management Bar	4W006-AMB
[E] Cable Management Clip (attaches to 49005-CMB)	49005-CMC
[F] High-Density Cable Management Bar, 1RU	49005-DMB
Rear Cable Manager for Active Equipment, 2RU	41188-SM2
e2XHD Rear Cable Manager for Flat Panel (four quarter-round rings)	E2X1F-CMB
e2XHD Rear Cable Manager for Angled Panel (four quarter-round rings)	E2XHD-CMB


CABLE MANAGEMENT RINGS

3" Vertical Manager Rings	49260-MR3
6" Vertical Manager Rings	49260-MR6
Mounting Tie Bracket	49261-BKT
Vertical Transition Rings, 2RU (for Angled and Recessed-Angled Panels)	49262-HR1

HINGED BRACKETS

	2RU	3RU	4RU
[G] Hinged Wall-Mount Bracket	49251-W62	49251-W63	49251-W64
Front Hinged Bracket	—	49400-FHB	—

VELCRO™ -BRAND CABLE FASTENERS




[A] BULK ROLLS

Bulk Roll, 75', Black	43115-075
Bulk Roll, 75', Colored	43115-75*
Bulk Roll, 15', Black	43115-015
Bulk Roll, 600', Black	43115-600

* = Color: Blue (L), Yellow (Y), Orange (O), Plenum Rated Maroon (P)

VELCRO® is a registered trademark of Velcro BVBA. Used with permission.









[B] TIE WRAPS (25/PACK)

5" Length, Black	43105-005
8" Length, Black	43108-008
12" Length, Black	43112-012

SOFTCINCH LITE

SoftCinch Lite, 75', Black	4S115-75E
----------------------------	-----------

HDX PLATFORM | FIBER OPTIC ENCLOSURES, ADAPTER PLATES, SPLICE MODULES, CASSETTES, AND ACCESSORIES



OPT-X™ UHDX ENCLOSURES - 144 FIBERS PER RU (LC), 1,728 (MTP)

1RU, empty, accepts 12 plates or cassettes	5R1UD-S12
[A] 2RU, empty, accepts 24 plates or cassettes	5R2UD-S24
4RU, empty, accepts 48 plates or cassettes	5R4UD-S48

OPT-X UHDX ANGLED AND FLAT PANELS

[B] 1RU UHDX Angled Panel, empty	HDX1A-144
1RU UHDX Flat Panel, empty	HDX1F-144

HDX ADAPTER PLATES

[C] Plate, OM3 and OM4, Quad LC Shuttered (aqua), 12-fiber, Zirconia Ceramic Sleeve	5FUHD-SQL
Plate, OS2, Quad LC Shuttered (blue), 12 fibers, zirconia ceramic sleeve	5FUHD-SLL
Plate, 3 Duplex MTP Adapters (black), keyed up to keyed up	5FUHD-6MB
Plate, 3 Duplex MTP Adapters (black), keyed up to keyed down	5FUHD-6MP
Plate, blank (black)	5FUHD-BLK

HDX SPLICE MODULES*

	OM4 LC Shuttered (aqua)	OS2 LC Shuttered (blue)	OS2 LC/APC Shuttered (green)
12-fiber HDX Splice Module	[D] SPLCH-12AQ	SPLCH-12BL	SPLCH-12GN
		OM4 MTP	OS2 MTP
36-fiber HDX Splice Module, male		[E] SPMPH-MMPN	SPMPH-SMPN
36-fiber HDX Splice Module, female		SPMPH-MMUP	SPMPH-SMUP

* = Make-to-Order, lead times may apply.

[F] HDX CASSETTE MAKE-TO-ORDER OPTIONS

FIBER TYPE	FIBER COUNT	CONNECTOR TYPE (FRONT)	MTP TYPE (REAR)	POLARITY
• OM3	• 12	• LC	• 12-fiber	• Method A
• OM4	• 24	• LC Shuttered	• 24-fiber	• Method B (Core)
• OS2	• 48	• 8-fiber MTP		• Method B (Edge)
				• Method C





To order Cassettes, go to Leviton.com/Configurator
MTP is a registered trademark of US Conec, Ltd.

ACCESSORIES

Universal Opt-X Clamp Kit, Single Cable Grommet (mounts to Rear Cable Manager)	5RCMP-KIT
Universal Opt-X Clamp Kit, Multiple Cable Grommet (mounts to Rear Cable Manager)	5RCMP-KT2
Universal Opt-X Clamp Kit, Single and Multiple Cable Grommet (for rack mounting)	5RCMR-KIT
Brush Guard (bag of 2)	5RBSH*UN
ORU Universal Patch Cord Cable Manager	5RCMT-VFG
1RU Universal Patch Cord Cable Manager	5R1UX-CMT
2RU Universal Patch Cord Cable Manager	5R2UX-CMT

* = 1RU (1), 2RU (2)

E2XHD PATCHING SYSTEM | FIBER OPTIC PANELS, CASSETTES, ACCESSORIES, AND TOOLS



PATCH PANELS

[A] 1RU, 48-Port Angled High-Density Panel (supports UTP, shielded and fiber media)	E2X1A-S48
1RU, 48-Port Flat High-Density Panel (supports UTP, shielded and fiber media)	E2X1F-S48

ACCESSORIES AND TOOLS

Rear Cable Manager for Angled Panel, w/ fiber storage rings (four quarter-round rings)	E2XHD-CMB
Rear Cable Manager for Flat Panel, w/ fiber storage rings (four quarter-round rings)	E2X1F-CMB
Angled Panel Cover	E2XHD-COV
QuickPort™ Insert Removal Tool	E2XHD-JRT
Universal Opt-X™ Clamp Kit, Single Cable Grommet (mounts to Rear Cable Manager)	5RCMP-KIT
Universal Opt-X Clamp Kit, Multiple Cable Grommet (mounts to Rear Cable Manager)	5RCMP-KT2
Universal Clamp Kit, Single and Multiple Cable Grommet (for rack mounting)	5RCMR-KIT
Label Kit for e2XHD Panels (Qty 4)	E2XHD-LBL

STANDARD CASSETTES

[B] QuickPort LC Shuttered Cassette, OM3 and OM4 (aqua), 12-fiber	E2XLC-SAQ
QuickPort LC Shuttered Cassette, OS2 (blue), 12-fiber	E2XLC-SBL
[C] MTP-MTP Pass-Through Cassette (four key-up/key-down adapters)	E2XHD-4MP
MTP-MTP Pass-Through Cassette (four key-up/key-up adapters)	E2XHD-4MB
Cassette Blank	E2XHD-BLK


MTP is a registered trademark of US Conec, Ltd.

[D] MAKE-TO-ORDER CASSETTES

FIBER TYPE	FIBER COUNT	CONNECTOR TYPE (FRONT)	MTP FIBER COUNT	POLARITY
• OM3	• 8	• LC	• 12-fiber	• Method A
• OM4 (aqua)	• 12	• LC Shuttered	• 24-fiber	• Method B, Core, black
• OS2	• 24	• 8-fiber MTP		• Method B, Edge, white
				• Method C

To order Cassettes, go to Leviton.com/Configurator

SDX PLATFORM | FIBER OPTIC ENCLOSURES, ADAPTER PLATES, AND ACCESSORIES



OPT-X™ 2000i SDX RACK-MOUNT ENCLOSURES

1RU, empty, sliding tray, accepts 3 adapter plates	5R1UH-S03
[A] 2RU, empty, sliding tray, accepts 6 adapter plates	5R2UH-S06
4RU, empty, sliding tray, accepts 12 adapter plates	5R4UH-S12

OPT-X 1000i SDX RACK-MOUNT ENCLOSURES

[B] 1RU, empty, accepts 3 adapter plates	5R1UM-F03
1RU, empty, with sliding tray, accepts 3 adapter plates	5R1UM-S03
2RU, empty, accepts 6 adapter plates	5R2UM-F06
2RU, empty, with sliding tray, accepts 6 adapter plates	5R2UM-S06
3RU, empty, accepts 9 adapter plates	5R3UM-F09
3RU, empty, accepts 12 adapter plates	5R3UM-F12
4RU, empty, accepts 12 adapter plates	5R4UM-F12
4RU, empty, accepts 15 adapter plates	5R4UM-F15

OPT-X 500i SDX RACK-MOUNT ENCLOSURES

1RU, empty, accepts 3 adapter plates	5R1UL-F03
[C] 2RU, empty, accepts 6 adapter plates	5R2UL-F06
3RU, empty, accepts 12 adapter plates	5R3UL-F12
1RU Panel, empty, accepts 3 adapter plates	5R1UE-OPX
3RU Panel, empty, accepts 12 adapter plates	5R3UE-OPX

OPT-X SDX WALL-MOUNT ENCLOSURES

[D] Mini, empty, accepts 1 adapter plate	5WMNT-01C
[E] Small, empty, accepts 2 adapter plates	5WSML-02C
Medium, empty, accepts 4 adapter plates	5WMED-04C
Large, empty, accepts 12 adapter plates	5WLRG-12C

ACCESSORIES

Fiber Cable Management 1/4" Ring Kit (four 1/4" rings, use with rack-mount enclosures)	5R100-14R
Universal Clamp Kit (for enclosure mounting)	5RCMP-xxx
Universal Clamp Kit, Single and Multiple Cable Grommet (for rack mounting)	5RCMR-KIT
Opt-X Lock and Key (for 1000i rack-mount and wall-mount enclosures)	5L000-KAL
[F] ORU Patch Cord Manager (bag of 2)	5RCMT-VFG
[G] Universal Patch Cord Manager Tray (includes ORU cable managers)	5R*UX-CMT
Din Rail Bracket Kit (for Mini enclosure)	DNRAL-ACC

xxx = Cable Grommet: Single (KIT) Multiple (KT2)

* = 1RU (1), 2RU (2)

SDX MOLDED ADAPTER PLATES W/ZIRCONIA CERAMIC SLEEVE

Plate (beige), 62.5 µm MM (OM1), Duplex LC, 12-fiber	5F100-2IL
[H] Plate (aqua), 50 µm LOMM (OM3 and OM4) Duplex LC, 12-fiber	5F100-2QL
Plate (blue), SM (OS2), Duplex LC, 12-fiber	5F100-2LL
Plate (green), SM (OS2), Duplex LC/APC, 12-fiber	5F100-2VL
Plate (beige), 62.5 µm MM (OM1), Quad LC, 24-fiber	5F100-4IL
Plate (aqua), 50 µm LOMM (OM3 and OM4) Quad LC, 24-fiber	5F100-4QL
Plate (blue), SM (OS2), Quad LC, 24-fiber	5F100-4LL
Plates (beige), 62.5 µm MM (OM1), Duplex SC, 6-fiber	5F100-6IC
Plates (aqua), 50 µm LOMM (OM3 and OM4), Duplex SC, 6-fiber	5F100-6QC
Plates (blue), SM (OS2), Duplex SC, 6-fiber	5F100-6LC
Plates (green), SM (OS2), Duplex SC/APC, 6-fiber	5F100-6VC
Plate (beige), 62.5 µm MM (OM1), Duplex SC, 12-fiber	5F100-2IC
[I] Plate (aqua), 50 µm LOMM (OM3 and OM4), Duplex SC, 12-fiber	5F100-2QC
Plate (blue), SM (OS2), Duplex SC, 12-fiber	5F100-2LC
Plate (green), SM (OS2), Duplex SC/APC, 12-fiber	5F100-2VC
Plate (black), ST MM/SM, 6-fiber	5F100-6MT
Plate (black), ST MM/SM, 8-fiber	5F100-8MT
Plate (black), Blank	5F100-PLT

SDX METAL ADAPTER PLATES

Plate (black), OM3 and OM4, Duplex LC (aqua), 16-fiber, zirconia ceramic sleeve	5F100-16A
Plate (black), OS2, Duplex LC (blue), 16-fiber, zirconia ceramic sleeve	5F100-16Z
Plate (black), simplex MTP, key up/key down	5F100-*MP
Plate (black), simplex MTP, key up/key up	5F100-*MB
Plate (black), 6-position QuickPort™, empty	5F100-6QP

SDX 12- AND 24-FIBER SPLICE MODULES

[J] 12-Fiber Splice Module, LC	SPLCS-12x
24-Fiber Splice Module, LC	SPLCS-24x
12-Fiber Splice Module, SC	SPSCS-12x

* = Fibers: (6), (8)

x = OM3 (A), OM4 (4), OS2 (L), APC OS2 (V)

FIBER OPTIC CONNECTORS | FIELD INSTALLABLE CONNECTORS

	FASTCAM™ (PRE-POLISHED STYLE)	OS2 SM	OM1 62.5µm MM	OM2 50µm MM	OM3/4 50µm LOMM	ACCESSORIES
	LC	49991-SLC	49991-MLC	49991-5LC	49991-LLC	LC Duplex Clip for FastCAM Connector (bag of 6)
	SC	49991-SSC	49991-MSC	49991-5SC	49991-LSC	LC Duplex Clip for Fast-Cure Connector, beige (bag of 25)
	SC/APC	49991-ASC	—	—	—	LC Duplex Clip for Fast-Cure Connector, blue (bag of 25)
	ST	49991-SST	49991-MST	49991-5ST	—	SC Duplex Clip for Fast-Cure Connector, black (bag of 25)
	FAST-CURE™ (ADHESIVE STYLE)	OS2 SM	OM1/OM2 50+62.5µm MM		OM3/4 50µm LOMM	
	LC (w/ 3mm boot)	49990-SL2	49990-ML2	—	49990-LL2	
	LC (w/ .9mm boot)	49990-SDL	49990-MDL	—	49990-LDL	
	SC	49990-SSC	49990-MSC	—	49990-LSC	
	ST	49990-SST	49990-MST	—	—	

See page 8 for QuickPort Fiber Adapters

FIBER OPTIC TOOL KITS AND ACCESSORIES

	Basic Fast-Cure™ Tool Kit	49800-MTK		Fan-Out Kit 24" Length, 6-Fiber	49887-06S
	Fast-Cure Tool Kit	49800-FTK		Fan-Out Kit 24", Length 12-Fiber	49887-12S
	FastCAM™ Tool Kit w/ Cleaver Work Tray, and LED Light	49800-LAK		Fan-Out Kit 36" Length, 6-Fiber	49887-06L
	FastCAM Tool Kit w/ Cleaver	49800-MSK		Fan-Out Kit 36" Length, 12-Fiber	49887-12L
	Universal Consumables Kit	49800-CON		4"x 7" Splice Tray, 12 fibers	T47HS-P06
	Fast-Cure Consumables Kit	49800-FCC		4"x 7" Splice Tray w/ bumper feet, 12 fibers	5T000-00T
	Adhesive/Accelerator Kit	49800-680		12-Fiber Mini, 3.74" x 5.59" x .39", (Heat Shrink Splice Sleeves Included)	T5PLS-12F
	Fan-Out Consumables Kit	49800-FAN		24-Fiber H.D., 4.5" x 7.63" x .43" (Heat Shrink Splice Sleeves Included)	T5PLS-24F
	MTP®/MPO Male/Female Cleaning Tool (>600 Cleanings)	49886-MCT		Splice Tray Mounting Hardware Kit	SPLMT-HKT
	MTP®/MPO Refill Kit for 49886-MCT	49886-MCR			
	LC, SC, MTP® Connector Cleaning Tool	49886-xxT			

xx = LC (LC), SC (SC), MTP Female (UF), MTP Male (UM)

ECONOMY SERIES FIBER OPTIC PIGTAILS (3 METERS)

OM1	LC	62PLC-xxx	OM3	LC	5LPCL-xxx	OM4	LC	54PLC-xxx	OS2	LC	UPPLC-***
	SC	62PSC-xxx		SC	5LPSC-xxx		SC	54PSC-xxx		SC	UPPSC-***
	ST	62PST-xxx		ST	5LPST-xxx		ST	54PST-xxx		SC/APC	APPSC-S03
										LC/APC	APPLC-S03

xxx = (M03) Single pigtails, (KIT) 12-fiber color-coded pigtail kit
 *** = (S03) OS2 Single pigtails, (KIT) 12-fiber color-coded pigtail kit

ECONOMY SERIES FIBER OPTIC DUPLEX PATCH CORDS

OM1	LC-LC	62DLC-Mxx	OM3	LC-LC	5LDLC-Mxx	OM4	LC-LC	54DLC-Mxx	OS2	LC-LC	UPDLC-Sxx	OM1 = 62.5/125 μm Multimode OM3 = 50/125 μm Laser-Optimized Multimode OM4 = 50/125 μm Laser-Optimized Multimode OS2 = Single-Mode
	SC-SC	62DSC-Mxx		SC-SC	5LDSC-Mxx		LC-SC	54DCL-Mxx		SC-SC	UPDSC-Sxx	
	ST-ST	62DST-Mxx		LC-SC	5LDCL-Mxx		LC-SC	UPDCL-Sxx		ST-ST	UPDST-Sxx	
	SC-ST	62DCT-Mxx					SC-ST	UPDCT-Sxx		SC-SC, APC	APSSC-Sxx	
	SC-LC	62DCL-Mxx									xx = Stocked lengths: (01), (02), (03), (05), (10) meters Other lengths and connector options available as Make-to-Order.	

To order Premium Series Patch Cords, go to Leviton.com/Configurator

QUICKPORT™ FIBER ADAPTERS

	Duplex LC Shuttered Adapter, MM, phosphor bronze sleeve (beige)	41086-ML°		Simplex SC Shuttered Adapter, SM, zirconia ceramic sleeve	41085-S°C
	Duplex LC Shuttered Adapter, LOMM, 10 Gb/s, zirconia ceramic sleeve (aqua)	41086-LL°		Simplex SC Shuttered Adapter, MM, phosphor bronze sleeve	41085-M°C
	Duplex LC Shuttered Adapter, SM, zirconia ceramic sleeve (blue)	41086-SL°		MTP® Adapter, SM/MM, key up to key down	41085-TP°
	Simplex SC/APC Non-Shuttered Adapter, SM/MM, zirconia ceramic sleeve	41085-AS°		MTP Adapter, MM, key up to key up	41085-TB°
	ST Adapter, SM/MM, zirconia ceramic sleeve	41084-S*Z			

* = Color: Ivory (I), White (W), Slate (G), Black (E)
 ° = Color: Ivory (I), White (W), Slate (G), Black (E), Yellow (Y), Orange (O), Red (R), Blue (L), Green (V)
 MTP is a registered trademark of US Conec, Ltd.

MULTIMEDIA OUTLET SYSTEM (MOS) | FIBER INSERT MODULES

	1 Duplex SC, zirconia ceramic, SM/MM (blue) (1 unit high)	41291-2C*		1 Duplex SC, zirconia ceramic, SM/MM (blue) 45° exit (2 units high)	41292-2C*
	1 Duplex SC, zirconia ceramic, SM/MM (blue) 45° exit (1.5 units high)	41294-2C*		2 Duplex SC, zirconia ceramic, SM/MM (blue) 45° exit (3 units high)	41293-4C*

* = Color: Ivory (I), White (W), Gray (G), Black (E)
 ° = Color: Ivory (I), White (W), Gray (G)

CUSTOM SYSTEMS AND PRODUCTS



CUSTOMIZE YOUR ORDER!

Customize many Leviton products online using our make-to-order (MTO) program. Most orders ship within two weeks, one of the fastest turn around times in the industry. To configure products, go to Leviton.com/configurator or call 1-800-722-2082.

For a complete collection of all Leviton network infrastructure products, see our Network Solutions Catalog or visit Leviton.com.

- Copper Patch Cords
- Pre-Terminated Copper & Fiber Trunks
- Plug-n-Play Cassettes
- Fiber Patch Cords & Pigtails
- Fiber Array Cords
- Fiber Harnesses

